Application No. 10/804,495

## HEGEIVED CENTRAL FAX CENTER

## In The Claims

DEC 2 n 2nns

Claims 21-32 are pending in the application with claims 21, 22, 27, and 28 amended herein.

Claims 1-20 (cancelled).

(currently amended) A method for producing a layer of a phase 21. change ink on a surface of a substrate, which comprises:

forming a phase change ink composition in the solid phase, the phase change ink composition comprising a phase change carrier composition and a colorant material; said phase change carrier composition comprising a nonpolymeric urethane resin that is the reaction product of at least one fused ring alcohol and an isocyanate, the fused ring alcohol including at least three fused rings:

melting the ink;

applying the melted ink to at least one surface of a substrate; and solidifying the applied ink on the surface of the substrate.

- 22. (currently amended) The method of claim 21 wherein the fusedring alcohols consist of comprise monohydric alcohols.
- (original) The method of claim 21 wherein the fused-ring alcohols 23. which include at least three fused rings consist of monohydric alcohols.

S:VXE1V032W/02.doc

Application No. 10/804,495

- (previously presented) The method of claim 21 wherein the 24. fused-ring alcohols include one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin.
- (previously presented) The method of claim 21 wherein the 25. fused-ring alcohols include one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin; and the isocyanates comprise isophorone diisocyanate.
- (previously presented) The method of claim 21 wherein the 26. alcohols consist of one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin; and the isocyanates consist of isophorone diisocyanate.
- (currently amended) A method of forming a phase change ink, 27. comprising:

reacting one or more alcohols with one or more isocyanates, the alcohols comprising fused-ring alcohols which include at least three fused rings, and producing a non-polymeric urethane resin; and

including the resin in a phase change ink composition.

- (currently amended) The method of claim 27 wherein the fused-28. ring alcohols consist of comprise monohydric alcohols.
- (original) The method of claim 27 wherein the fused-ring alcohols 29. which include at least three fused rings consist of monohydric alcohols.

S:WE11032W02.doc

Application No. 10/804,495

- 30. (previously presented) The method of claim 27 wherein the fused-ring alcohols include one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin.
- 31. (previously presented) The method of claim 27 wherein the fused-ring alcohols include one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin; and the isocyanates comprise isophorone diisocyanate.
- 32. (previously presented) The method of claim 27 wherein the alcohols consist of one or more of hydroabietyl alcohol, methyl ester of hydrogenated rosin, or decarboxylated rosin; and the isocyanates consist of isophorone diisocyanate.

Claims 33-44 (cancelled).